

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. FILING DATE | | ILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. | |
|-----------------------------|------|------------|----------------------|-------------------------|------------------|--|
| 09/988,059 | _ | 11/16/2001 | Tiangong Liu | 79569-2/jlo | 7859 | |
| 26181 | 7590 | 05/05/2004 | | EXAM | EXAMINER | |
| FISH & RI | | | CHASE, SHELLY A | | | |
| 3300 DAIN MINNEAPO | | | | ART UNIT | PAPER NUMBER | |
| | , | | | 2133 | H | |
| | | | | DATE MAILED: 05/05/2004 | 1 | |

Please find below and/or attached an Office communication concerning this application or proceeding.

| • | | | | | | | |
|---|---|---|--|--------|--|--|--|
| • | | Application No. | Applicant(s) | 9 | | | |
| | | 09/988,059 | LIU ET AL. | / | | | |
| | Office Action Summary | Examiner | Art Unit | | | | |
| | | Shelly A Chase | 2133 | | | | |
| Period for | The MAILING DATE of this communicating Reply | on appears on the cover sheet w | ith the correspondence address - | 10 | | | |
| A SHO THE M - Extens after S - If the p - If NO p - Failure Any rej | RTENED STATUTORY PERIOD FOR AILING DATE OF THIS COMMUNICATIONS of time may be available under the provisions of 37 X (6) MONTHS from the mailing date of this communicateriod for reply specified above is less than thirty (30) dayeriod for reply is specified above, the maximum statutor to reply within the set or extended period for reply will, but to reply within the set or extended period for reply will, but the control of the set of extended period for reply will, but the control of the set of extended period for reply will, but the control of the set of | FION. CFR 1.136(a). In no event, however, may a station. In a reply within the statutory minimum of thir y period will apply and will expire SIX (6) MON by statute, cause the application to become Al | reply be timely filed ty (30) days will be considered timely. NTHS from the mailing date of this communica BANDONED (35 U.S.C. § 133). | ation. | | | |
| Status | | | | | | | |
| 1) 🛛 F | Responsive to communication(s) filed or | n <u>16 November 2001</u> . | | | | | |
| 2a)□ 1 | This action is FINAL . 2b) | ☑ This action is non-final. | | | | | |
| 3) 🗌 💲 | Since this application is in condition for allowance except for formal matters, prosecution as to the merits is | | | | | | |
| C | closed in accordance with the practice u | nder <i>Ex parte Quayle</i> , 1935 C.E |). 11, 453 O.G. 213. | | | | |
| Dispositio | n of Claims | | | | | | |
| 5)□ (6)⊠ (7)□ (| Claim(s) <u>1-18</u> is/are pending in the appli a) Of the above claim(s) is/are w Claim(s) is/are allowed. Claim(s) <u>1-18</u> is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction | ithdrawn from consideration. | | | | | |
| Applicatio | n Papers | | | | | | |
| 9) <u></u> ⊤ | he specification is objected to by the Ex | kaminer. | | | | | |
| 10)∐ T | he drawing(s) filed on is/are: a)[| ☐ accepted or b)☐ objected to | by the Examiner. | | | | |
| | Applicant may not request that any objection | | | | | | |
| | Replacement drawing sheet(s) including the The oath or declaration is objected to by | · | • • • | | | | |
| Priority ur | nder 35 U.S.C. § 119 | | | | | | |
| a)[| cknowledgment is made of a claim for to All b) Some * c) None of: 1. Certified copies of the priority doces. 2. Certified copies of the priority doces. 3. Copies of the certified copies of the application from the International see the attached detailed Office action for | uments have been received. uments have been received in A ne priority documents have beer Bureau (PCT Rule 17.2(a)). | Application No received in this National Stage | | | | |
| Attachment(| · | 6 □ 1.1 | Current (PTO 442) | | | | |
| | of References Cited (PTO-892) of Draftsperson's Patent Drawing Review (PTO-9 | Paper No | Summary (PTO-413) (s)/Mail Date | | | | |
| 3) Inform | ation Disclosure Statement(s) (PTO-1449 or PTC No(s)/Mail Date | | Informal Patent Application (PTO-152) | | | | |

Art Unit: 2133

DETAILED ACTION

1. Claims 1 to 18 are presented for examination.

Claim Objections

2. Claim 10 is objected to because of the following informalities: the claim as written impedes a clear understanding of the claim limitation.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1 to 8 and 11 to 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mikkelsen et al. (40Gbit/s all-optical wavelength converter and RZ to NRZ format adapter realised by monolithic integrated active Michelson interferometer, Elect. Letters) in view of Jae Lee et al. (Polarisation-independent, stable, all-optical clock recovery using an SOA/grating filter wavelength converter, Elect. Letters).

Claims 1 and 11:

Art Unit: 2133

Mikkelsen substantially teaches measuring the bit error rate (BER) for 40Gbit/s wavelength wherein a gain switch receives a 10-20Ghz DFB laser signal (pulse source") and passes the received pulse to an optical multiplexer for multiplexing the received pulse (see pg. 133). Mikkelsen also teaches an integrated Michelson interferometer receiving an injected pulse (see pg. 133, par. 2).

Mikkelsen does not specifically teach that the multiplexer multiplexes the pulse source and at least one test pattern; however, Jae Lee in an analogous art teaches a pulse source train that is multiplexed by an optical multiplexer wherein the pulse train comprises short pulses and data from a pattern generator (see pg. 1369 par. 3).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the DFB laser signal of Mikkelsen to include a pulse source that comprises short pulses and pulse patterns from a pattern generator as taught by Jae Lee. This modification would have been obvious because a person of ordinary skill in the art would have been motivated to employ a method for achieving better bit error rate and polarisation independent in optical communications, as Jae Lee points out that utilizing a pulse data and generated pattern pulse is not limited to polarization (see pg. 1369, conclusion).

As for claims 2 and 12, Mikkelsen teaches the demultiplexer receives the converted signal (see pg. 133, par. 4).

As per claims **3** to **5**, and **13** to **15** Mikkelsen teaches an optical converter converting a return to zero (RZ) signal to a non-return to zero (NRZ) signal with a simultaneous wavelength (see pg. 133 par.1), wherein the signal is generated by optical

Art Unit: 2133

multiplexing (see pg. 133 part. 4) and the pulse pattern conversion may be for a positive or negative slope (see pg. 134), interpreted as the same data rate. Mikkelsen also teaches that the converted and demultiplexed signal is converted from a NRZ to a RZ (see pg. 134 par. 3 and fig. 4)

As per claims 6 to 8, Mikkelsen does not specifically teach the converter includes an amplifier, a filter and a continuous wave source; however, Jae Lee teaches that the wavelength converter (WC) includes a semiconductor optical amplifier (SOA) converting an optical RZ signal, a bandwidth grating filter (OBF) changing the wavelength of the signal and a continuous wave source [T-LD] propagating the wave source (see pg. 1369). Jae Lee also teaches WC includes other elements for converting the optical and electrical signals (see fig. 1). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the converter of Mikkelsen to include amplifier, filter and continuous wave source as taught by Jae Lee since Jae Lee teaches the advantages of using a converter including amplifiers, filters and continuous wave source. This modification would have been obvious because a person of ordinary skill in the art would have been motivated to employ a converter in optical communication for achieving polarization independence.

5. Claims **16** to **17** are rejected under 35 U.S.C. 103(a) as being unpatentable over Mikkelsen et al. in view of Jae Lee et al., further in view of Kikuchi et al. (USP 6469823 B2).

Art Unit: 2133

As per claims **16** and **17**, Mikkelsen in view of Jae Lee teaches a wavelength converter converting an optical RZ signal to a NRZ and the conversion includes converting optical and electrical signals (see pg. 1369 par. 2 and fig. 1); however, Mikkelsen in view of Jae Lee fail to clearly illustrate converting the optical RZ signal into an electrical RZ signal, converting the electrical RZ signal into an electrical NRZ signal and converting the electrical NRZ signal into an optical NRZ signal.

Kikuchi in an analogous art teaches an optical wavelength converter including an optical to electrical converting unit for converting the optical signal into an electrical signal and an electrical to optical converting unit for converting the electrical signal into an optical signal (see col. 6, lines 10 et seq.). Kikuchi also teaches the wavelength converter converts RZ signals input or NRZ signals input (see col. 5, lines 57 to 61).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the wavelength converter of Mikkelsen in view of Jae Lee to include converting optical to electrical conversions and electrical to optical conversions as taught by Kikuchi. This modification would have been obvious because a person of ordinary skill in the art would have been motivated to employ a converter for efficiently meeting the requirement of various transmission code and rates in optical communications as taught by Kikuchi (see col. 9, lines 8 to 20).

6. Claims **9** to **10** and **18** are rejected under 35 U.S.C. 103(a) as being unpatentable over Jae Lee et al. in view of Kikuchi et al..

Claims 9 and 18:

Art Unit: 2133

Jae Lee substantially teaches the claimed invention. Jae Lee teaches an optical clock recovery scheme wherein BER is measured by a BER tester, the scheme comprising: an optical fibre multiplexer receiving a laser pulse from a semiconductor laser ("pulse source") and a pattern from a pulse generator, wherein the received data is multiplexed and modulated by an LiNbO₃ electro-optic modulator (see pg. 1369 par. 3). Jae Lee also teaches that a 10Gbit/s RZ data generation is generated from a short pulse source and a pulse pattern form a pulse generator (see pg. 1369 par. 3). Jae Lee further teaches a converter converting the RZ signal to an NRZ signal for a respective frequency (see pg. 1639 par. 4).

However, Jae Lee does not specifically teach an optical demultiplexer, a first optical converter and a second optical converter. Kikuchi in an analogous art teaches a demultiplexer [112] for demultiplexing the transmitted optical signal (see fig. 1 and col. 1, lines 47 to 50), a wavelength converter including a first converter [102, 203] converting the wavelength for 1.3 *um* band (first data rage") for a RZ signal and a second converter [104, 204] converting the wavelength for a 1.5 *um* band ("second data rate") RZ or NRZ signal (see fig. 1-2, 6 and col. 5, line 63 et seq.). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the converter of Jae Lee by incorporating a first and second converting unit as taught by Kikuchi since, Kikuchi teaches that a converter corresponding to various transmission codes and rates is efficient in optical communications (see col. 9, lines 8 to 20).

Art Unit: 2133

This modification would have been obvious because a person of ordinary skill in the art would have been motivated to employ a converter for efficiently meeting the requirement of various transmission code and rates as taught by Kikuchi. As to the further limitation of the claims, Kikuchi teaches the wavelength converter includes an optical to electrical converting unit and an electrical to optical converting unit for providing conversion for various received signals in an optical communication system.

As per claim 10, Jae Lee teaches that the wavelength converter (WC) includes a semiconductor optical amplifier (SOA) converting an optical RZ signal, a bandwidth grating filter (OBF) changing the wavelength of the signal and a continuous wave source [T-LD] propagating the wave source (see pg. 1369). Jae Lee also teaches WC includes other elements for converting the optical and electrical signals (see fig. 1). Jae Lee does not specifically teach a second optical converter including amplifiers, filters and continuous wave source; however, Kikuchi in an analogous art teaches an optical wavelength converter including a first optical converting unit [102, 203] and a second optical converting unit [104, 204] similar to the first optical converting unit wherein the wavelength converts optical to electrical signals as well as RZ or NRZ input signals the optical signal into an electrical signal and an electrical to optical converting unit for converting the electrical signal into an optical signal (see fig. 1-2, 6 and col. 5, line 63 et seq.).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the wavelength converter of Jae Lee to include a second converter as taught by Kikuchi Kikuchi teaches that a converter

Art Unit: 2133

corresponding to various transmission codes and rates is efficient in optical communications (see col. 9, lines 8 to 20). This modification would have been obvious because a person of ordinary skill in the art would have been motivated to employ a converter for efficiently meeting the requirement of various transmission code and rates as taught by Kikuchi.

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shelly A Chase whose telephone number is 703-308-7246. The examiner can normally be reached on Mon-Thur from 8:00 am to 6:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Albert Decady can be reached on 703-305-9595. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).